


## SONDAS CALIBRADAS



**INSIZE**

Unidad: mm



Código	Rango	espesor de las láminas (mm)	Cantidad de láminas
<b>4602-17</b>	0.02 - 1.00mm	0.02, 0.03, 0.04, 0.05, 0.06, 0.07, 0.08, 0.09, 0.10, 0.15, 0.20, 0.25, 0.30, 0.40, 0.50, 0.75, 1.00	17
<b>4602-32</b>	0.03 - 1.00mm	0.03, 0.04, 0.05, 0.06, 0.07, 0.08, 0.09, 0.10, 0.13, 0.15, 0.18, 0.20, 0.23, 0.25, 0.28, 0.30, 0.33, 0.35, 0.38, 0.40, 0.45, 0.50, 0.55, 0.60, 0.63, 0.65, 0.70, 0.75, 0.80, 0.85, 0.90, 1.00	32

- De acero templado
- DIN2275
- Exactitud:  $\pm(3+T/80) \mu\text{m}$ , 'T' es el espesor de las láminas en  $\mu\text{m}$

